
# BRANDING SPECIFICATIONS GUIDE



#### WE ARE A CENTER IN MOTION.

Defined by you and what you can accomplish inside our walls. We don't decide the future. We provide a place where you can. Where you can Join. Change. Dismantle. Engage. *Cherish, Love, Uphold, Refute, Challenge, Galvanize and Improvise –* until you figure out what will come next.

#### THIS IS A PLACE OF ACTION.

There are no nos, no if onlys, no maybes. There is only right now. Ready? Go.



## LET'S BUILD SOMETHING THAT CONNECTS EVERYONE.

# We're about helping get those critical details just right.

Customizing OCC's building features can create immersive experiences that encourage guests to be present and engaged.

Setting the stage for your guests and how they can interact with your event can amplify the impact of your event.



#### DISCLAIMER

Every effort has been made to ensure accuracy of all information contained in photos and document. However, no warranties, either expressed or implied, are made. It is the sole responsibility of the client to physically inspect facility to verify all dimensions and locations.

**LIMITS DO APPLY.** All branding spaces are reserved on a first come, first served basis for a two-week maximum duration. Advertisers are responsible for producing their own banners according to published specifications, as well as installation and removal.

Please refer to the this document to learn more about materials, approvals, and timeline requirements.

### BRANDING **SPECIFICATIONS** DIRECTORY



**RULES AND GUIDELINES** 6 **BUILDING MAPS** 7-8 **OUTDOOR BANNERS** 9-11 **INTERIOR BANNERS** 12-19 **DIGITAL DISPLAYS** 20 WINDOW CLINGS 21-27 RESTROOMS 28 LOCKER DECALS 29 **ELEVATOR WRAPS** 30-31 **ESCALATOR WRAPS** 32-38

### RULES AND GUIDELINES FOR BRANDING

Please take a moment to familiarize yourself with the venue rules and guidelines for branding. Please also read the disclaimer and limitations statement at the start of this guide.

#### APPROVAL

Approval from the event manager must be obtained prior to production of any branded materials that would be installed using the assets provided in this guide. Approval is required for both content and location.

#### TIMELINE

Branded material plans must be submitted by client for approval no later than 30 days prior to first contracted move-in day. All branded materials must be removed by contracted move-out day.

#### **PRODUCTION, INSTALLATION, AND REMOVAL**

Client is responsible for the production, installation, and removal of all branded materials. Branded materials installed in locations not previously approved by the event manager will be subject to removal by the venue. Any branded materials remaining on site after the contracted move-out day will be subject to a \$100 per item facility removal fee.

#### DAMAGES


Client assumes full responsibility for any damages or repairs to the venue that result from the removal of their branded materials. Client will be billed for any repair costs incurred by the venue.

#### BILLING

All branding fees will be included in final invoice. For branding fees, please see the Branding Opportunities Guide.


### BUILDING MAP OF LEVEL 1





BRANDING SPECIFICATIONS GUIDE | OREGON CONVENTION CENTER 7

### BUILDING MAP OF LOBBY LEVEL AND LEVEL 2



### **OUTDOOR BANNERS** - STREET POLE BANNERS



DIMENSIONS	• 4' x 5'
GUIDELINES	<ul> <li>Each street pole (up to 18 available) requires two banners placed back-to-back</li> <li>Must be printed on 13 oz outdoor vinyl</li> <li>Place two 3" wind vents in banner top pocket, starting at 6" in from sides</li> <li>Place a minimum of four, 7" wind vents in body of banner, at least 4" in from sides</li> <li>Place #2 reinforced metal grommets in the stitching in all four corners and bottom center of banner</li> </ul>
	3" wind vents in pole pocket 6" in from sides
•	2.25" pocket with 3/4" diameter PVC dowel *PVC dowel must be wire tied at each corner so it doesn't slide out
	2 rows of reinforced stitching NE MLK JR. BLVD (EAST)
	Minimum 4 wind vents half circles no less than 7" diameter
· @	Wire tie all 4 corners and bottom


### **OUTDOOR BANNERS** - READER BOARD BANNERS

DIMENSIONS	• 4' x 9' 6"
GUIDELINES	<ul> <li>Two locations alongside exterior reader board pylons</li> <li>Must be printed double-sided on 15 oz outdoor vinyl</li> <li>Size #2 grommets placed on double reinforced folded edges at all corners</li> <li>Place a minimum of eight, 7" wind vents, cut as half circles in body of banner at least 4" in from sides</li> </ul>
• •	Reinforced corners Size #2 grommets on double reinforced folded edges
	Minimum 8 half-circle wind vents no less than 7" in diameter
	NE MLK JR. BLVD (EAST)       NE HOLLADAY STREET (NORTH)         NEAR THE GINKOBERRY ENTRANCE       NEAR THE HOLLADAY ENTRANCE         Image: Street of the street of th
0 0	SP20 SP19 CL ·

### **OUTDOOR BANNERS** - SUPERSIZED BANNER



DIMENSIONS	• 13' x 11'5"
GUIDELINES	<ul> <li>One location only at NE First Avenue and Holladay Street</li> <li>Printed double-sided on 15 oz outdoor vinyl</li> <li>Reinforced corners</li> <li>Size #2 grommets, eight along each side, nine across top and bottom, on double reinforced folded edges</li> <li>Place a minimum of 15 wind vents - five, 7" wind vents in three columns at least 6" from sides</li> </ul>



Size #2 grommets on double reinforced folded edges

Reinforced corners




BRANDING SPECIFICATIONS GUIDE | OREGON CONVENTION CENTER 11

### **INTERIOR BANNERS** - IB1 AND IB2

DIMENSIONS	Varied; all banners in this area must fit within highlighted sections.
GUIDELINES	Materials may not cover security cameras or wayfinding signage in these areas.







### **INTERIOR BANNERS** - IB3 AND IB4



DIMENSIONS	Varied; all banners in this area must fit within highlighted sections.
GUIDELINES	Materials may cover exhibit hall signage in this area. Please note that columns partially block signage.






### **INTERIOR BANNERS** - IB5 AND IB6

DIMENSIONS	Varied; all banners in this area must fit within highlighted sections.
GUIDELINES	Please note that a column partially blocks IB5 signage.

PRE-FUNCTION C FACING C SERIES MEETING ROOMS






\*Left and right sides continue to connecting wall.


### **INTERIOR BANNERS** - IB7 AND IB8



DIMENSIONS	Varied; all banners in this area must fit within highlighted sections.
GUIDELINES	Materials may not cover security cameras or wayfinding signage in these areas. Please note that a column partially blocks IB7 signage.


PRE-FUNCTION A FACING EAST






### **INTERIOR BANNERS** - IB9 AND IB10

DIMENSIONS	Varied; all banners in this area must fit within highlighted sections.
GUIDELINES	Materials may not cover security cameras or wayfinding signage in these areas.







### **INTERIOR BANNERS** - IB11 AND IB12



DIMENSIONS	Varied; all banners in this area must fit within highlighted sections.
GUIDELINES	Please note that artwork hanging from ceiling partially blocks IB11 signage.

GINKOBERRY ENTRANCE FACING WEST





### **INTERIOR BANNERS** - IB13

DIMENSIONS	Varied; all banners in this area must fit within highlighted sections.
GUIDELINES	Please note that IB13 is best viewed while on the escalator or staircase.

PORTLAND BALLROOM LOBBY DOWN TO PRE-FUNCTION E **IB13** 

### **INTERIOR BANNERS** - GINKOBERRY CONCOURSE



DIMENSIONS	<ul> <li>Final production size: 36" wide x 114" tall</li> <li>Print size: 37" wide x 121" tall (including .5" bleed all sides)</li> </ul>
GUIDELINES	<ul> <li>Up to 11 banners</li> <li>Must be double sided</li> <li>To ensure a proper fit allow a 3" top and bottom fold over: <ul> <li>2" for pocket</li> <li>1" for stitching</li> </ul> </li> </ul>



### **DIGITAL DISPLAYS** - SELECT EXAMPLE (DS3 AND DS4)

SPECIFICATIONS	<ul> <li>Images: JPEG, PNG</li> <li>Videos: MP4</li> <li>Resolution: 1080 x 1920 (96 PPI)</li> </ul>
GUIDELINES	<ul> <li>Graphics not submitted as per specification will not display.</li> <li>Additional labor fee of \$100 per hour will be charged if files do not meet specifications and require editing to display properly.</li> <li>Content is subject to review and may be rejected at the sole discretion of venue management. Material deemed to be offensive, obscene, or derogatory by community standards will be rejected.</li> </ul>
SUBMISSION	Content must be submitted via link to a shared folder to OCC Telecom Services no later than ten (10) business days prior to the event start date. OCC cannot guarantee content will be displayed if not received before the deadline. Please specify image the sequence of images requirements in numerical order.



#### WINDOW CLINGS - WC1



DIMENSIONS	All window dimensions vary. Please reference specific windows for individual measurements.
GUIDELINES	<ul> <li>White or clear perforated window cling material must maintain reasonable visibility through the graphic.</li> <li>60/40, 65/35, and 70/30 with 1.5-millimeter holes recommended for maximum visibility.</li> </ul>





## 

HOLLADAY LOBBY WEST

"7	"74	"7 <u>6</u> 69.5"	"4 <sup>7</sup>	" <sup>4</sup> <sup>2</sup>
69.5"	69.5"		69.5"	69.5" 69.5"
"77	"22	"77	"27	"ZZ
69.5"	69.5"	69.5"	69.5"	69.5" 69.5"
"77	"22	"72	"72	<sup>°</sup> CZ
69.5"	69.5"	69.5"	69.5"	69.5" 69.5"
"7	"22	"77	"22	
69.5"	69.5"	69.5"	69.5"	

### WINDOW CLINGS - WC2 AND WC3

DIMENSIONS	All window dimensions vary. Please reference specific windows for individual measurements.
GUIDELINES	<ul> <li>White or clear perforated window cling material must maintain reasonable visibility through the graphic.</li> <li>60/40, 65/35, and 70/30 with 1.5-millimeter holes recommended for maximum visibility.</li> </ul>

#### HOLLADAY ENTRANCE

#### HOLLADAY LOBBY EAST

1.5.2.5.9       1.5.2.5.9       1.5.2.5.9       1.5.2.5.9         73.5.7       1.5.2.5.7       1.5.2.5.7       1.5.2.5.7         73.5.7       1.5.2.5.7       1.5.2.5.7       1.5.2.5.7         73.5.7       1.5.2.5.7       1.5.2.5.7       1.5.2.5.7         73.5.7       1.5.2.5.7       1.5.2.5.7       1.5.2.5.7         73.5.7       1.5.2.5.7       1.5.2.5.7       1.5.2.5.7         73.5.7       1.5.2.5.7       1.5.2.5.7       1.5.2.5.7         73.5.7       1.5.2.5.7       1.5.2.5.7       1.5.2.5.7         73.5.7       1.5.2.5.7       1.5.2.5.7       1.5.2.5.7         73.5.7       1.5.2.5.7       1.5.2.5.7       1.5.2.5.7         73.5.7       1.5.2.5.7       1.5.2.5.7       1.5.2.5.7         73.5.7       1.5.2.5.7       1.5.2.5.7       1.5.2.5.7         73.5.7       1.5.2.5.7       1.5.2.5.7       1.5.2.5.7         73.5.7       1.5.2.5.7       1.5.2.5.7       1.5.2.5.7         73.5.7       1.5.2.5.7       1.5.2.5.7       1.5.2.5.7         73.5.7       1.5.2.5.7       1.5.2.5.7       1.5.2.5.7         73.5.7       1.5.2.5.7       1.5.2.5.7       1.5.2.5.7         73.5.7       1.5.2.5.7		73"	65.75"
73" 73"			73.5
73." 73."			"
"S.5" 75.5 "S.5" 75.5 "S.5" 75.5		73"	65.75" ~I
23.5 23.1 23.1 23.1 23.1 23.1	1		73.5"
"EL	$\swarrow$	73"	65.75° 22
73			5"
		73"	65.75" ~
			3.5"

74"	."42	"42	,47	" <del>1</del> 42	."42
69.5	69.5"	69.5"	69.2	69.5"	69.5"
"22	,"22	"7 <u>7</u>	"22	"77	"24
69.5"	69.5	69.5"	69.5"	69.5"	69.5"
"22	"27	"72	"CZ	"77	"CL
69.5"	69.5"	69.5"	69.5"	69.5"	


### WINDOW CLINGS - WC4 NORTH AND WC5



DIMENSIONS	All window dimensions vary. Please reference specific windows for individual measurements.
GUIDELINES	<ul> <li>White or clear perforated window cling material must maintain reasonable visibility through the graphic.</li> <li>60/40, 65/35, and 70/30 with 1.5-millimeter holes recommended for maximum visibility.</li> </ul>







Set of three (3) windows between Holladay Lobby and Oregon Ballroom

°98	"9°
69.5"	69.5"
92 69.5"	"9° 69.5"
"9°	"9°
69.5"	69.5"

ໍ່ອ ກິ 69.5"	"9 <u>2</u> 69.5"	"9 2 69.5"	"9£ 69.5"
"9 69.5"	"9£ 69.5"	"9£ 69.5"	"9£ 69.5"
"9 69.5"	"92 69.5"	"92 69.5"	"98 69.5"

### WINDOW CLINGS - WC6 AND WC7

DIMENSIONS	All window dimensions vary. Please reference specific windows for individual measurements.
GUIDELINES	<ul> <li>White or clear perforated window cling material must maintain reasonable visibility through the graphic.</li> <li>60/40, 65/35, and 70/30 with 1.5-millimeter holes recommended for maximum visibility.</li> </ul>





"Z 139"	"N N 139"	"R 2 139"

ູ້ 9	ໍ້ອ
ກິ	ອ
69.5"	69.5"
"9 M 69.5"	92 69.5"
"9	"9°
M 69.5"	69.5"

36" 9	9.5"	"92 69.	5"
36" 9	9.5"		5"
36" 9	9.5"		5"

"92 69.5"	<sup>°</sup> 9 Σ 69.5"
"92 69.5"	90 69.5"
"9£ 69.5"	92 69.5"


### WINDOW CLINGS - WC4 SOUTH AND WC8



DIMENSIONS		All window dimensions vary. Please reference specific windows for individual measurements.
	GUIDELINES	<ul> <li>White or clear perforated window cling material must maintain reasonable visibility through the graphic.</li> <li>60/40, 65/35, and 70/30 with 1.5-millimeter holes recommended for maximum visibility.</li> </ul>







Set of three (3) windows between MLK Lobby and Oregon Ballroom

."42	."42
69.5"	69.5"
"22	"22
69.5"	69.5"
"22	"22
69.5"	69.5"

"42	"4 <u>7</u>
69.5"	69.5"
"22	"22
69.5"	69.5"
"22	"22
69.5"	69.5"

"47"	69	9.5"	74"	69	9.5"
72"	69	.5"	72"	69	9.5"
	69	.5"	72"	69	9.5"

### WINDOW CLINGS - WC9 AND WC10

DIMENSIONS		All window dimensions vary. Please reference specific windows for individual measurements.
	GUIDELINES	<ul> <li>White or clear perforated window cling material must maintain reasonable visibility through the graphic.</li> <li>60/40, 65/35, and 70/30 with 1.5-millimeter holes recommended for maximum visibility.</li> </ul>



65.375"	75"	65.375"	75"	65.375" 22	25"	65.375"	75.25"
65.375"	75"	65.375"	75"		25"	65.375"	75.25"
41.75"	69.5"	41.75"	70.5"	41.75" 0			69.75"
Γ							

"27 23"	"ZZ 109"	"2 <i>2</i> "	"2 <u>4</u> "	"CZ 128"
"02 63"	"O 109"	"02 109"	"OL 62"	"77 74 128"
" <i>1</i> 9 60"	<sup>"</sup> 29 107"	"29 107"		"72 128"
,22 ,09	"ZZ 107"	"ZZ 107"	72" "09	"C C 128"

"72	"72	"CL
128"	128"	128"
"ZZ		"ZZ 128"
"77"	"22	"22
128"	128"	128"
"ZZ 128"		

### WINDOW CLINGS - WC11 AND WC12



DIMENSIONS	All window dimensions vary. Please reference specific windows for individual measurements.				
GUIDELINES	<ul> <li>White or clear perforated window cling material must maintain reasonable visibility through the graphic.</li> <li>60/40, 65/35, and 70/30 with 1.5-millimeter holes recommended for maximum visibility.</li> </ul>				

#### GINKOBERRY ENTRANCE





72"		
	137"	

Set of 25 lower-half windows outside the Portland Ballroom.

	.25"		.75"	,72.5"	3.25"		3.75"
272.5"	.25"	72.5" 2	.75"	72.5"	3.25"		3.75"
.5" 70.25"	.25"	70.25" 2	.75"	.5" 70.25"	3.25"	70.25"	3.75"
72	.25"	72.5" 2	.75"	72	3.25"	72	3.75"

### **RESTROOMS** - LOCATION EXAMPLES

DIMENSIONS	• Mirror and stall dimensions vary. Please refer to specific restrooms for exact measurements.
GUIDELINES	<ul> <li>Cling material must hold firmly in place without adhesive or leaving residue once removed.</li> <li>Clings should not significantly impeded mirror or stall usability.</li> <li>Clings may not be placed on mirrors or surfaces that are part of OCC's Public Art collection.</li> <li>Client is responsible for managing and restocking additional amenitites they provide for guests.</li> </ul>

#### MEN'S NEAR ADMINISTRATION ON LEVEL 2







#### MEN'S NEAR OREGON BALLROOM (SOUTH)



### LOCKER DECALS - LD1, LD2, LD3




DIMENSIONS	• Locker dimensions vary. Please refer to specific lockers for individual measurements.
GUIDELINES	<ul> <li>The branding fee for the lockers includes exclusive locker rental.</li> <li>Decals are allowed on the sides of locker banks, not on front-facing locker doors.</li> <li>Decal material must hold firmly in place without leaving residue once removed.</li> <li>Decals should not impeded locker usability.</li> </ul>






Locker Side Profile





### **ELEVATOR WRAPS** - EL1, EL3, EL11


DIMENSIONS	• Elevator door dimensions vary. Please reference specific doors for individual measurements.
GUIDELINES	<ul> <li>The client is responsible for determining the number of elevators available for use and ensuring accurate dimensions.</li> <li>Decal material must be made from white or clear vinyl with low-tack adhesive.</li> </ul>





### **ELEVATOR WRAPS** - EL13, EL14, EL16, EL17



DIMENSIONS	• Elevator door dimensions vary. Please reference specific doors for individual measurements.
GUIDELINES	<ul> <li>The client is responsible for determining the number of elevators available for use and ensuring accurate dimensions.</li> <li>Decal material must be made from white or clear vinyl with low-tack adhesive.</li> </ul>








DIMENSIONS	
Interior Walls	(x4) 23.5" x 253"
<b>Carpeted Landing</b>	(x2) 136" x 45"
А	11.5" x 12.75"
В	11.5" × 74.5"
С	11.5" × 69.25"
D	11.5" x 69.25"
E	11.5" x 69.25"
F	11.5" × 74.5"
G	11.5" × 14"
н	4.5″ × 25.5"
I	4.5″ × 52"
J	4.5″ × 69"
К	4.5″ × 69"
L	4.5″ × 69.5"
М	4.5" x 37.75"

#### DESTINATION

▼ Pre-Function A to Holladay Lobby ▲

#### **GUIDELINES**






DIMENSIONS	
Interior Walls	(x4) 23.5" x 253"
<b>Carpeted Landing</b>	(x2) 136" x 45"
Α	11.5" x 14
В	11.5" x 74.25"
С	11.5" x 69.25"
D	11.5" x 69.25"
E	11.5" x 69.25"
F	11.5" x 69"
G	11.5" x 19.75"
н	12" x 24"
1	12" x 46"
J	12" x 69.25"
К	12" x 69.25"
L	12" x 69.25"
М	12" × 75"
N	12" × 11"
DESTIMATION	

#### DESTINATION

▼ Holladay Lobby to Oregon Ballroom ▲

#### **GUIDELINES**




DIMENSIONS	
Interior Walls	(x4) 23.5" x 253"
<b>Carpeted Landing</b>	(x2) 136" x 45"
Α	11.5" x 14.25"
В	11.5" x 74.75"
С	11.5" × 70"
D	11.5" x 69.25"
E	11.5" x 68"
F	11.5" × 75"
G	11.5" × 14″
н	12" x 23.5"
I	12" x 47.25"
J	12" x 69.25"
К	12" x 69.25"
L	12" × 69"
М	12" × 75"
Ν	12" x 9"
0	20" × 31"

#### DESTINATION

▼ MLK Lobby to Oregon Ballroom ▲

#### **GUIDELINES**






DIMENSIONS	
Interior Walls	(x4) 23.5" x 253"
<b>Carpeted Landing</b>	(x2) 136" x 45"
А	11.5" × 14″
В	11.5" x 74.5"
С	11.5" x 69.25"
D	11.5" × 69.25"
E	11.5" x 69.25"
F	11.5" x 74.5"
G	11.5" x 13.75"
н	4" x 15.5"
I	4" x 47.25"
J	4" x 69.25"
К	4" x 69.25"
L	4" x 69"
М	4" × 35.5"

#### DESTINATION

▼ Pre-Function C to MLK Lobby ▲

#### **GUIDELINES**




DIMENSIONS	
Interior Walls	(x4) 23.5" x 253"
<b>Carpeted Landing</b>	(x2) 136" x 45"
Α	17.5" x 78.5"
В	17.5" x 78.5"
С	17.5" x 78.5"
D	17.5" x 78.5"
Е	17.5" x 78.5"
F	54.25" x 29.5"
G	54.25" x 65.5″
н	54.25" x 77.25"
I	54.25" x 76.5"
J	54.25" x 76.5"
К	54.25" x 61"

#### DESTINATION

▼ Ginkoberry Concourse to MLK Lobby ▲

#### GUIDELINES






DIMENSIONS	
Interior Walls	(x4) 23.5" x 240"
<b>Carpeted Landing</b>	(x2) 132" x 45"
Α	17.5" x 75.5"
В	17.5" x 75.5"
С	17.5" x 75.5"
D	17.5" x 75.5"
E	17.5" x 75.5"
F	17.5" x 75.5"
G	17.5" x 75.5"
н	17.5" x 75.5"
I	17.5" x 75.5"

DESTINATION

▼ Exhibit Hall E to Portland Ballroom ▲

#### **GUIDELINES**

#### PORTLAND BALLROOM (SOUTH)



DIMENSIONS	
Interior Walls	(x4) 23.5" x 240"
<b>Carpeted Landing</b>	(x2) 132" x 45"
Α	17.5" x 75.25"
В	17.5" x 75.25"
С	17.5" x 75.25"
D	17.5" x 75.25"
E	17.5" x 75.25"
F	17.5" x 75.25"
G	17.5" x 75.25"
н	17.5" x 75.25"
I	17.5" x 75.25"

#### DESTINATION

▼ Ginkoberry Entrance to Portland Ballroom ▲

#### **GUIDELINES**

Contact us to discuss how we can help you brand your event at the **Oregon Convention Center.** 





UPDATED MARCH 18, 2024

1-800-791-2250 | 503-235-7575 sales@oregoncc.org OREGONCC.ORG

